### 3M<sup>™</sup> High Performance Cut-Off Wheels

# above the rest

THE TECHNOLOGY BEHIND CUBITRON™ II, PRECISION SHAPED GRAIN, IS NOW AVAILABLE IN A HIGH PERFORMANCE CUT-OFF WHEEL







3M<sup>™</sup> High Performance Cut-Off Wheels contain 3M's patented precision shaped grain (PSG) technology. They're faster cutting and longer lasting than conventional cutting wheels. PSG abrasives:

- Cut faster
- Last Longer
- Require less pressure
- Reduce operator fatigue
- Increase productivity



Conventional ceramic abrasive grain is irregular in shape. Instead of a clean, machining action, the grain "plows" through the metal, causing heat build up, slower cutting and shorter life.

## **3 REASONS** WHY IT'S BETTER:

- 1. Cuts faster—helps improve productivity and throughput
- 2. Lasts longer—helps save money
- 3. Easier to use good for your workers, good for your business

#### LESS PRESSURE REQUIRED MORE MATERIAL REMOVED

Competitive products require up to 3 times the amount of pressure to match the cut of PSG abrasives.



3M precision shaped grain in High Performance Cut-Off Wheels continuously fracture to form sharp points and edges – slicing cleaner and faster, staying cooler and lasting many times longer.

#### THE PAYOFF

- Less wear and tear on your operators
  More material removed by the same amount of effort
  Improved productivity
- Less wear on your tools

#### **USED IN INDUSTRIES SUCH AS:**

- General Metal Fabrication
- Ship Building
- Structural Steel
- Oil and Gas Off-Site Maintenance
- Agriculture
- Industrial and Construction
- Machine Building

#### 3M<sup>™</sup> HIGH PERFORMANCE CUT-OFF WHEELS

For the ideal combination of value and performance, choose 3M High Performance Cut-Off Wheels. They feature 3M's patented Precision Shaped Grain that results in faster cut, longer life and leaves a better finish. To be used on Stainless Steel, Mild Steel & Aluminium

#### 3M<sup>™</sup> HIGH PERFORMANCE CUT-OFF WHEELS

Dimensions (mm)	Ordering Code	Max. RPM	Carton QTY
100mm x 1mm x 16mm	XA009104374	15,300	50
115mm x 1mm x 22mm	XA009104390	13,300	50
125mm x 1mm x 22mm	XA009104416	12,250	50
180mm x 2mm x 22mm	XA009104440	8,500	50
230mm x 2mm x 22mm	XA009104465	6,650	50
100mm x 2.5mm x 16mm	XA009104382	15,300	50
115mm x 2.5mm x 22mm	XA009104408	13,300	50
125mm x 1.6mm x 22mm	XA009104424	12,250	50
125mm x 2.5mm x 22mm	XA009104432	12,250	50
125mm x 2.5mm x 22mm 180mm x 2.5mm x 22mm	XA009104432 XA009104457	12,250 8,500	50 50

NEW



#### FOR MORE INFORMATION VISIT - AUSTRALIA 3M.COM.AU/CUTOFFWHEELS NEW ZEALAND 3M.CO.NZ/CUTOFFWHEEL

Product Use: All statements, technical information and recommendations contained in this document are based on tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose other than those already stated by 3M, and suitable for the user's method of application.

Limitation Of Liability: Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



#### **Abrasive Systems Division**

3M Australia Building A 1 Rivett Road NORTH RYDE NSW 2113 Phone 136 136 3M New Zealand 94 Apollo Drive Rosedale , Albany North Shore City AUCKLAND Telephone 9 477 4040 Please recycle. Printed in Australia © 3M 2015 All rights reserved. AV011441860 3M and Cubitron are trademarks of 3M Company. Used under license by 3M subsidiaries and affiliates.