









Maximum Flexibility and Durability in One Belt

Flexibility shouldn't mean sacrificing cutting power in your non-woven belt applications. But some belts may achieve their flexibility at the expense of life and cut. With Scotch-Brite[™] Durable Flex Belts, you don't have to compromise. Get the conformability and cutting power you need to access the tightest corners, tackle small welds and blend finishes.

A Perfect Application

Whether you are blending welds, matching a finish or cleaning before welding the Scotch-Brite TM Durable Flex Belts will meet the task.

- Deburring
- Blending
- Cleaning
- Finishing

Extended Life

More demanding applications where the belt is running over the leading or trailing edges allows the belt's mineral to be "opened up". This action continues to "dress the belt" and provide extended life.

A Perfect Combination

This reinforced, low-stretch belt offers good flexibility, great edge durability and reduces elongation. This makes it an ideal companion to the new 3M™ File Belt Sander. The new durable flex belt will perform well wherever the tool's eight attachment arms can reach. Its extreme flexibility will avoid belt "chunking" even on the smallest contact wheels.

Feature	Advantage	Benefit
High quality mineral coating	 Consistent finishes Sharper cut rate Less rework Faster production 	
High quality join technology	Less belt breakages	Improved safetyLess wasteFewer belt change-overs
Increased fibre strength	Improved durabilityIncreased flexibility	Handles sharp edgesFaster production rates
Low stretch material	Less stretching	Lower overall costsStays on the machine











Grade	Coarse	Medium	Fine
	Brown	Maroon	Green
Colour			

Ensure you are using genuine

Scotch-Brite™ Durable Flex from

3M by looking for the purple backing





Stock Product Availability

Size (mm)	Grade	3M ID No.	Carton Qty.
10 x 330	A CRS	A0010693344	
	A MED	AD010693351	20
	AFIN	A0010693369	1
12 x 457	A CRS	61500295995	20
	A MED	61500295833	
	AHN	61500295912	
12 x 520	A CRS	ADD10693377	20
	A MED	A0010693385	
	AFIN	AC010693393	
12 x 533	A CRS	AD010693401	
	A MED	A0010693419	20
	AFIN	A0010693427	
12 x 610	A CRS	61500296001	
	A MED	61500295847	20
	AFIN	61500295920	
20 x 520	A CRS	A0010693435	20
	A MED	AC010693443	
	AFIN	AD010693450	
25 x 610	A CRS	AC01059346B	
	A MED	AC010693476	10
	AFIN	AD010593484	
30 x 533	A CRS	AC010693492	
	A MED	AD010693500	10
	AFIN	AD010593518	

Also available from 3M



3M™ File Belt Sander

3M takes file belt sanding for metalworking applications to an all-new level with a wide choice of versatile attachment arms and comfort features, all designed to improve worker productivity through better control and optimised file belt performance.

Ideally suited for use with 3M™ Abrasive Belts and Scotch-Brite™ Belts for a variety of metalworking applications. Grind and blend from contact wheel or platen, finish and polish from slack of belt.

- 0.6 hp High torque, 22,000 rpm motor
- · 360° rotatable belt housing and guard
- · 360° rotatable handle
- 3M™ Gripping material



3M and Scotch-Brite are trademarks of 3M Company. Please recycle. Printed in Australia. O 3M 2012. All rights reserved.

3M Australia Pty Ltd Abrasive Systems Division

Building A, 1 Rivett Road, North Ryde NSW 2113 Ph: 136 136 | Fax: 02 9498 9247 Email: auindmkt@mmm.com | www.3m.com.au



